



2118 W. Park Court  
Champaign, IL 61821  
Phone: 217/353-6640

Fax: 217/353-6678

Website: [www.il.nrcs.usda.gov](http://www.il.nrcs.usda.gov)

May 28, 2008

## TECHNICAL GUIDE NOTICE IL-206

**Purpose:** To inform employees of revisions and corrections to the Field Office Technical Guide.

The electronic FOTG can be accessed through the Illinois home page by clicking on "eFOTG" or at <http://www.nrcs.usda.gov/technical/efotg/>.

### Location

#### Section IV.

#### B. Conservation Practices

Clearing and Snagging  
Standard and Specification (326)

Closure of Waste Impoundments  
Standard and Specification (360)

Irrigation Water Conveyance, Rigid Gated  
Pipeline Standard and Specification (430HH)

Mine Shaft and Adit Closing  
Standard and Specification (457)

Pipeline  
Standard and Specification (516)

Pond Sealing or Lining - Flexible Membrane  
Standard and Specification (521A)

Pond Sealing or Lining - Soil Dispersant  
Treatment Standard and Specification (521B)

Pond Sealing or Lining - Bentonite Treatment  
Standard and Specification (521C)

Pumping Plant  
Standard and Specification (533)

Underground Outlet  
Standard and Specification (620)

Waste Storage Facility  
Standard and Specification (313)

Waste Treatment Lagoon  
Standard and Specification (359)

### Summary of Changes

#### May 2008

*Updated to national standard; added construction spec.*

*Updated to national standard; added construction spec.*

*Removed from Illinois FOTG; no longer exists in the National Handbook of Conservation Practices.*

*Updated to national standard.*

*Corrected to retain depth and frost protection information in standard as well as in construction spec.*

*Updated to national standard.*

*No major changes.*

*No major changes.*

*Added criteria for sumps for livestock water supply; added criteria to prevent cavitation.*

*Corrected standard to include min. and max. depth criteria from construction spec and CPS 606 Subsurface Drain.*

*Changed min. storage period to reference current Illinois LMF Act; added 5 ft fence height criterion for protection of humans.*

*Added 5 ft fence height criterion for protection of humans.*

Technical Guide Notice 206 is filed under Section I, "FOTG transmittals" at the eFOTG site.

WILLIAM J. GRADLE  
State Conservationist

DIST: Partner

**Helping People Help the Land**

An Equal Opportunity Provider and Employer